

CONTRACTOR

JOB NAME

Date



831 Morley Drive
Saginaw, MI 48601
Ph: 800-248-0280
Fx: 800-432-9331
www.exceptionalmetals.com

DATE: _____

Quote: ☐

Order: ☐

ORDERED BY: _____ ACCT #: _____
CONTRACTOR: _____
ADDRESS: _____
CITY: _____ ST: _____ ZIP: _____
PHONE: _____
EMAIL: _____
SPECIAL INSTRUCTIONS: _____

JOB NAME: _____
ADDRESS: _____
CITY: _____ ST: _____ ZIP: _____
ORIGINAL ORDER #: _____
JOB #: _____ PO #: _____
Ship To: _____
Contractor's Office: ☐ Job Site: ☐

2-PIECE COMPRESSION
FASCIA

ALL-TERM™

VINYL-BACK COLLECTOR

CONDUCTOR

DOWNSPOUTS

GUTTERS

PITCH PANS

SCUPPERS

COPING



VINYL-COATED DRIP EDGE
T-EDGE
T-EDGE PLUS

ARCHED DRIP EDGE
ARCHED COPING

COUNTERFLASHING
REGLET
EDGE EXTENDER

CUSTOM METAL

2-PIECE SNAP-ON COMPRESSION

STANDARD 2-PIECE	SIZE	QTY.	COVER METAL TYPE	COVER PROFILE:
3" - 8" 2-Piece Snap-On Base		FT.		
3" - 8" 2-Piece Snap-On Cover		FT.	METAL COLOR	
2-Piece Snap-On Inside Corner		EA.		
2-Piece Snap-On Outside Corner		EA.	OTHER COLOR	
2-PIECE FLEX SNAP ON COMPRESSION (FLAT FACE)				
3" - 8" 2-Piece Flex Snap-On Base		FT.		
3" - 8" 2-Piece Flex Snap-On Cover		FT.		
2-PIECE SNAP-ON COMPRESSION LG.*				
<small>COVER IS FABRICATED IN .040 ALUMINUM AND BASE IN 16 GA GALVANIZED</small>				
9" - 13" 2-Piece Snap-On Base LG.		FT.		
9" - 13" 2-Piece Snap-On Cover LG.		FT.		
2-Piece Snap-On Outside Corner LG.		EA.		CUSTOM 2-PIECE SKETCH:
2-Piece Snap-On Inside Corner LG.		EA.		
CUSTOM 2-PIECE SNAP-ON COMPRESSION				
CUSTOM 2-PIECE COVER		FT.		
CUSTOM 2-PIECE BASE		FT.		
CUSTOM 2-PIECE OUTSIDE CORNER		EA.		
CUSTOM 2-PIECE INSIDE CORNER		EA.		
2-PIECE NOTES				
SNAP-ON FASCIA BASE**			PROFILE	NOTES
4" FASCIA BASE		FT.		
5" FASCIA BASE		FT.		
6" FASCIA BASE		FT.		
7" FASCIA BASE		FT.		
8" FASCIA BASE		FT.		
MATERIAL TYPE:				
24 Ga. Galvalume® Plus		<input type="checkbox"/>		
24 Ga. Stainless Steel		<input type="checkbox"/>		
OTHER		<input type="checkbox"/>		

ALL-TERM™

COVER METAL TYPE

METAL COLOR

OTHER

STANDARD SIZE ALL-TERM

ALL-TERM BASE

QTY

ALL-TERM COVER

QTY

4"- 8" GALVALUME PLUS
BASE

SIZE

FT.

4"- 8" ALL-TERM COVER

SIZE

FT.

OUTSIDE CORNER

QTY

INSIDE CORNER

QTY

4"- 8" OUTSIDE CORNER

SIZE

EA.

4"- 8" INSIDE CORNER

SIZE

EA.

LG ALL-TERM *ALUMINUM ONLY

LG ALL-TERM BASE

QTY

LG ALL-TERM COVER

QTY

9"- 13" GALVALUME PLUS
BASE

SIZE

FT.

9"- 13" LG ALL-TERM COVER

SIZE

FT.

LG OUTSIDE CORNER

QTY

LG INSIDE CORNER

QTY

9"- 13" OUTSIDE CORNER

SIZE

EA.

9"- 13" INSIDE CORNER

SIZE


EA.

ALL-TERM PROFILE

NOTES

BASE

COVER



ARCHED DRIP EDGE & ARCHED COPING


Fabrication will proceed only after receipt of the signed approval package that will be sent to you.

Provide radius **(A.)** when possible along with the following measurements:

- Total arch length is required. **(B.) Fig 1.1**
- Measure the entire width of the arch (cord length). If the entire cord length cannot be measured, specify the cord length used. **(C.) Fig 1.1**
- H or height. **(D.) Fig 1.1**


Note: When the entire length of the arch is not measured, verify the height measurement in several locations using the same cord length.

Figure 1.1



A	
B	
C	
D	

Figure 2.1






The ends of each arched piece are pre-notched to fit together in the field. **Fig. 2.1**

ARCHED DRIP EDGE:

Available face sizes of 3" - 8" *

Splice Cleat



METAL TYPE	
METAL COLOR	
FACE SIZE	

THIS EDGE DETAIL HAS NOT BEEN TESTED TO ES-1 STANDARDS AND MAY NOT BE COMPLIANT WITH CERTAIN SPECIFICATIONS




* 4" or larger face size require splice cleats 24" O.C.

ARCHED COPING:

Available face and back sizes of 2" - 6" *

Note: Order 1/4" wider than the wall.

Splice Cleat



FACE	A	
TOP	B	
BACK	C	

METAL TYPE	
METAL COLOR	

THIS EDGE DETAIL HAS NOT BEEN TESTED TO ES-1 STANDARDS AND MAY NOT BE COMPLIANT WITH CERTAIN SPECIFICATIONS

* 4" or larger face size require splice cleats 24" O.C.

CONDUCTOR

Note: 1/4" must be subtracted from height and width of actual scupper opening.


CONDUCTOR SIZE Height (A) Width (B) Length (C)
 X X

DOWNSPOUT SIZE Width (D) Depth (E)
 X

QUANTITY REQUIRED


METAL TYPE
METAL COLOR
OTHER

ADDITIONAL NOTES




COPING CAP & ACCESSORIES

SNAP COPING




Order this coping 3/8" wider than the wall

CANTED COPING



Order this coping 1/4" wider than the wall

FLAT COPING



Order this coping 1/4" wider than the wall

COVER METAL TYPE

METAL COLOR

OTHER

COPING PROFILE

Snap

☐

Canted

☐

Flat

☐

Custom

☐

Coping Size:

Face(A)

Width(B)


Back (C)

*Dimension in inches

	QUANTITY		NOTES
Standard 10'-0" Lengths:		L.F.	
Custom Lengths(ft.):		EA.	
Custom Lengths(ft.):		EA.	
Custom Lengths(ft.):		EA.	
90° Outside Corner:		EA.	
90° Inside Corner:		EA.	
Custom Outside Corner:		EA.	
Custom Inside Corner:		EA.	
Splice Plates:		EA.	
End Caps - Left:		EA.	
End Caps - Right:		EA.	





CUSTOM COPING

LARGE END




SMALL END

METAL TYPES			
METAL COLOR			
OTHER			
CLOSED FACE	OPEN FACE	QUANTITY	NOTES
DS-34 (3" X 4"):		L.F.	
DS-44 (4" X 4"):		L.F.	
DS-45 (4" X 5"):		L.F.	
DS-66 (6" X 6"):		L.F.	
Custom:	"A x "B	L.F.	
Square to Round:			
"A x	"B to "Ø	EA.	
Outlets / Drops:		EA.	
Elbows - 45° (Style A)		EA.	
Elbows - 80° (Style A)		EA.	
Elbows - 45° (Style B)		EA.	
Elbows - 80° (Style B)		EA.	
DS Straps (Ln. Ft. *) 10' Lengths Only		L.F.	
Gutter Sealent:		EA.	
Rivets (250 P/ BOX):		EA.	
IF MULTI LENGTH DOWNSPOUT IS NEEDED, NOTE THE LENGTH AND QTY OF THE LENGTH			
NOTES			




DROP/OUTLET



SQUARE END

SQUARE-TO-ROUND
DRAIN ADAPTOR


ROUND END



LARGE END

45 DEGREE
"A" OR "B" ELBOW

SMALL END



LARGE END

80 DEGREE
"A" OR "B" ELBOW


SMALL END

GUTTERS

METAL TYPE		CUSTOM		
METAL COLOR				
OTHER COLOR				
PROFILE	A	B	C	QTY (FT.)
DX - 4	6	4	4	
DX - 5	7	5	5	
DX - 6	7	6	5	
LX - 4	6	4	4	
LX - 5	7	5	5	
LX - 6	7	6	5	
EX - 4	6	4	4	
EX - 5	7	5	5	
EX - 6	7	6	5	
MX - 4	6	4	4	
MX - 5	7	5	5	
MX - 6	7	6	5	
CUSTOM				
ACCESSORIES	QTY		NOTES	
END CAPS - LEFT		EA.		
END CAPS - RIGHT		EA.		
SPLICE PLATES		EA.		
INSIDE CORNER		EA.		
OUTSIDE CORNER		EA.		
EXPANSION JOINTS		EA.		
GUTTER SEAL		EA.		
RIVETS		250 BOX		

PITCH PANS

VINYL-COATED METAL
SKIRT COLOR



* Pitch Pans come with a 6" PVC skirt,
Check the box if you would like a 12"


Qty		A MIN 3"	X	B MIN 3"	X	C MIN 4"	12" Skirt*
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input checked="" type="checkbox"/>
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>

NOTES

CUSTOM PITCH PAN


SCUPPERS

Single Skirt Scupper




Actual Opening Height - $\frac{1}{4}$ " = Order Ht (A)
 Actual Opening Width - $\frac{1}{4}$ " = Order Wt (B)
 Actual Wall Thickness + 1" = Order Length (C)

Single Skirt w/Metal Flange



Actual Opening Height - $\frac{1}{4}$ " = Order Ht (A)
 Actual Opening Width - $\frac{1}{4}$ " = Order Wt (B)
 Actual Wall Thickness + 1" = Order Length (C)

Double Skirt Scupper



Actual Opening Height - $\frac{1}{4}$ " = Order Ht (A)
 Actual Opening Width - $\frac{1}{4}$ " = Order Wt (B)
 Actual Wall Thickness + 1" = Order Length (C)

Vinyl-Coated Metal

Skirt Color

Vinyl-Coated Metal

Skirt Color

Vinyl-Coated Metal

Skirt Color

WHITE

NO METAL FLANGE OR METAL FLANGE COLOR ALLOWED ON SINGLE SKIRT OR DOUBLE SKIRT SCUPPERS.

QTY

A
MIN 3"

B
MIN 3"

C
MIN 3"

1 Skirt

2 Skirt

12"
Skirt

FLANGE SIZE (2" - 8")

METAL FLANGE
COLOR

<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	→	<input type="text"/>
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	→	<input type="text"/>
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	→	<input type="text"/>
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	→	<input type="text"/>
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	→	<input type="text"/>
<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	X	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/>	→	<input type="text"/>

CUSTOM SCUPPER



VINYL-BACK COLLECTOR

Note: 1/4" must be subtracted from height and width of actual scupper opening.


SCUPPER SIZE	Height (A)	X	Width (B)	X	Length (C)	METAL TYPE
						COLLECTOR COLOR
DOWNSPOUT SIZE	Width (D)	X	Depth (E)			
QUANTITY						SCUPPER COLOR
						SKIRT COLOR
						OTHER

NOTES





THE MINIMUM SIZE OF THE COLLECTOR HEAD WILL BE DETERMINED BY THE DIMENSIONS GIVEN FOR THE SCUPPER (A & B) AND THE DOWNSPOUT (D & E), PLUS AN ADDITIONAL 3" ON EACH SIDE.



VINYL-COATED DRIP EDGE W/SKIRT

VINYL-COATED DRIP EDGE W/SKIRT			CUSTOM	
VINYL-COATED DRIP EDGE (2" - 8")*	SIZE	QTY	PROFILE: 	
CLEAT (3-1/2" standard)				
CUSTOM DRIP EDGE				
*4" and greater requires cleat				
VINYL-COATED	SKIRT			

T-EDGE & T-EDGE PLUS

COVER METAL TYPE			PROFILES: 	
METAL COLOR				
SKIRT	HOOK STRIP			
OTHER				
T-EDGE				
	SIZE	QTY		
T-EDGE (2" - 8")*				
CLEAT (3-1/2" standard)				
CUSTOM T-EDGE				
*4" and greater requires cleat				
T-EDGE PLUS				
	SIZE	QTY		
T-EDGE PLUS (2" - 8")*				
CLEAT (3-1/2" standard)				
CUSTOM T-EDGE PLUS				
*4" and greater requires cleat				

COUNTERFLASHING, REGLET, & EDGE EXTENDER

METAL TYPE

METAL COLOR

OTHER

REGLET

QTY

NOTES

5" ONE-PIECE REGLET

FT.

5.25" TWO-PIECE REGLET

FT.

COUNTER FLASHING

QTY

NOTES

5.25" SURFACE MOUNT COUNTERFLASHING

FT.

METAL TYPE

METAL COLOR

OTHER

EDGE EXTENDER

QTY

NOTES

3" EXTENDER

FT.

4" EXTENDER (NEED CLEAT)

FT.

5" EXTENDER (NEED CLEAT)

FT.

6" EXTENDER (NEED CLEAT)

FT.

7" EXTENDER (NEED CLEAT)

FT.

8" EXTENDER (NEED CLEAT)

FT.


CUSTOM

FT.


3.5" CLEAT

FT.


**ONE-PIECE
REGLET**



**TWO-PIECE
REGLET**



**SURFACE MOUNT
COUNTERFLASHING**



EDGE EXTENDER



CUSTOM METAL

PLEASE SPECIFY ALL ANGLES, LENGTHS, DIMENSIONS, AND COLOR SIDE

